

FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7




FIG.8




FIG.9




FIG.10




FIG.11




FIG.12




FIG.13




FIG.14




FIG.15




FIG.16

EXAMPLE 5




FIG.17




FIG.18




FIG.19




FIG.20





FIG.21

EXAMPLE 6

(DIAMETER OF CYLINDRICAL MEMBER: 7 mm)

POSITIVE ELECTRODE



CYLINDRICAL MEMBER





FIG.22

EXAMPLE 6

(DIAMETER OF CYLINDRICAL MEMBER: 5 mm)

POSITIVE ELECTRODE



CYLINDRICAL MEMBER





FIG.23

EXAMPLE 6
(DIAMETER OF CYLINDRICAL MEMBER: 3 mm)




CYLINDRICAL MEMBER

POSITIVE ELECTRODE

FIG.24

EXAMPLE 6
(DIAMETER OF CYLINDRICAL MEMBER: 2 mm)



POSITIVE ELECTRODE

CYLINDRICAL MEMBER

FIG.25

EXAMPLE 7
(DIAMETER OF CYLINDRICAL MEMBER: 10 mm)

POSITIVE ELECTRODE

CYLINDRICAL MEMBER




FIG.26

EXAMPLE 7
(DIAMETER OF CYLINDRICAL MEMBER: 7 mm)

POSITIVE ELECTRODE

CYLINDRICAL MEMBER




FIG.27

EXAMPLE 7

(DIAMETER OF CYLINDRICAL MEMBER: 5 mm)




FIG.28

EXAMPLE 7

(DIAMETER OF CYLINDRICAL MEMBER: 3 mm)

